Author index

Aagaard, P. *see* Magnusson, S.P.
Adnot, S. *see* Mauran, P.
Ahrén, T. *see* Sundstedt, M.
Ahtikoski, A.M., Koskinen, S.O.A., Virtanen, P., Kovanen, V., Risteli, J. & Takala, T.E.S. Synthesis and degradation of type IV collagen in rat skeletal muscle during immobilization in shortened and lengthened positions, 473
Ar, A. *see* Fink, N.

Barnea, O. *see* Fink, N.
Barthelemy, C. *see* Mauran, P.
Beghetti, M. *see* Landis, B.N.
Bertinieri, G. *see* Grassi, G.
Bickel, C.S. *see* Slade, J.M.
Bojsen-Moller, J. *see* Magnusson, S.P.
Bøkenes, J. *see* Sjaastad, I.
Brønd, J. *see* Magnusson, S.P.
Brunner-La Rocca, H.P. *see* Esler, M.

Capodaglio, P. *see* Ferri, A.
Carayon, A. *see* Mauran, P.
Carter, J.R. *see* Ray, C.A.
Cato, M.J. *see* Toney, G.M.
Chen, Q.H. *see* Toney, G.M.
Correia, M. *see* Mark, A.L.
Crandall, C.G., Cui, J. & Wilson, T.E. Effects of heat stress on baroreflex function in humans, 321
Cui, J. *see* Crandall, C.G.
Cunningham, J.T. *see* Mueller, P.J.

Damm, S. *see* Sundstedt, M.
Dampney, R.A.L., Horiuchi, J., Tagawa, T., Fontes, M.A.P., Potts, P.D. & Polson, J.W. Medullary and supramedullary mechanisms regulating sympathetic vasomotor tone, 209
DiBona, G.F. Central angiotensin modulation of baroreflex control of renal sympathetic nerve activity in the rat: influence of dietary sodium, 285
Dietz, N.M. *see* Joyner, M.J.
Dodt, C., Lönnroth, P., Wellhöner, J.P., Fehm, H.L. & Elam, M. Sympathetic control of white adipose tissue in lean and obese humans, 351
Donadio, V. *see* Gunnar Wallin, B.
Droogmans, G. *see* Nilius, B.
Dudley, G.A. *see* Slade, J.M.
Dyhre-Poulsen, P. *see* Magnusson, S.P.

Eckberg, D.L. Bursting into space: alterations of sympathetic control by space travel, 299
Elam, M., Sverrisdottir, Y.B., Rundqvist, B., Mckenzie, D., Gunnar Wallin, B. & Macefield, V.G. Pathological sympathoexcitation: how is it achieved?, 405
Elam, M. *see* Dodt, C.
Elam, M. *see* Gunnar Wallin, B.
Elam, M. *see* Macefield, V.G.
Elam, M. Foreword, 207
Esler, M., Lambert, G., Brunner-La Rocca, H.P., Vaddadi, G. & Kaye, D. Sympathetic nerve activity and neurotransmitter release in humans: translation from pathophysiology into clinical practice, 275

Fagius, J. Sympathetic nerve activity in metabolic control – some basic concepts, 337
Fehm, H.L. *see* Dodt, C.
Ferri, A., Scaglioni, G., Pousson, M., Capodaglio, P., Van Hoecke, J. & Narici, M.V. Strength and power changes of the human plantar flexors and knee extensors in response to resistance training in old age, 69
Fink, N., Ar, A., Sadé, J. & Barnea, O. Mathematical analysis of atelectasis formation in middle ears with sealed ventilation tubes, 493
Finni, T., Ikewawa, S., Lepola, V. & Komi, P.V. Comparison of force–velocity relationships of vastus lateralis muscle in isokinetic and in stretch-shortening cycle exercises, 483
Floras, J.S. Sympathetic activation in human heart failure: diverse mechanisms, therapeutic opportunities, 391
Fontes, M.A.P. *see* Dampney, R.A.L.
Fultz, M.E. & Wright, G.L. Myosin remodelling in the contracting A7r5 smooth muscle cell, 197

Gehl, J. Electroporation: theory and methods, perspectives for drug delivery, gene therapy and research, 437
Gibbins, I.L., Jobling, P. & Morris, J.L. Functional organization of peripheral vasomotor pathways, 237
Giger, R. *see* Landis, B.N.
Grassi, G., Seravalle, G., Bertinieri, G. & Mancia, G. Behaviour of the adrenergic cardiovascular drive in atrial fibrillation and cardiac arrhythmias, 399
Guell, A. *see* Mauran, P.
Gunnar Wallin, B., Donadio, V., Karlsson, T., Kallio, M., Nordin, M. & Elam, M. Arousal increases baroreflex inhibition of muscle sympathetic activity, 291
Gunnar Wallin, B. *see* Elam, M.

Häbler, H.-J. *see* Jänig, W.
Häggström, J. *see* Olsson, K.
Hansen, P. *see* Magnusson, S.P.
Hansson, K. *see* Olsson, K.
Harris, R.C. Interactions between COX-2 and the renin–angiotensin system in the kidney, 423
Hasser, E.M. *see* Mueller, P.J.
Haynes, W.G. *see* Mark, A.L.
Haywood, J.R. *see* Kenney, M.J.
Henricksson, J. Editor's choice, 413
Henriksen, E. *see* Sundstedt, M.
Henriksson, J. Editorial, 3
Horiuchi, J. *see* Dampney, R.A.L.

Ikewawa, S. *see* Finni, T.
Iwase, S. *see* Mano, T.

Jänig, W. & Häbler, H.-J. Neurophysiological analysis of target-related sympathetic pathways – from animal to human: similarities and differences, 255
Jobling, P. *see* Gibbins, I.L.
Jonason, T. *see* Sundstedt, M.

© 2003 Scandinavian Physiological Society

Joyner, M.J. & Dietz, N.M. Sympathetic vasodilation in human muscle, 329

Kallio, M. *see* Gunnar Wallin, B.
Källskog, Ö. *see* Lindström, P.
Karlsson, T. *see* Gunnar Wallin, B.
Kaye, D. *see* Esler, M.
Kenney, M.J., Weiss, M.L. & Haywood, J.R. The paraventricular nucleus: an important component of the central neurocircuitry regulating sympathetic nerve outflow, 7
Kenney, M.J. *see* Weiss, M.L.
Kiil, F. Kinetic model of osmosis through semi-permeable and solute-permeable membranes, 107
Kjaer, M. *see* Magnusson, S.P.
Koho, N. *see* Sepponen, K.
Komi, P.V. *see* Finni, T.
Kompanowska-Jezierska, E., Walkowska, A. & Sadowski, J. Role of prostaglandin cyclooxygenase and cytochrome P450 pathways in the mechanism of natriuresis which follows hypertonic saline infusion in the rat, 93
Koskinen, S.O.A. *see* Ahtikoski, A.M.
Kovanen, V. *see* Ahtikoski, A.M.

Lacroix, J.S. *see* Landis, B.N.
Lambert, G. *see* Esler, M.
Landis, B.N., Beghetti, M., Morel, D.R., Giger, R., Rimensberger, P.C. & Lacroix, J.S. Somato-sympathetic vasoconstriction to intranasal fluid administration with consecutive decrease in nasal nitric oxide, 507
Lepola, V. *see* Finni, T.
Li, G. *see* Song, X.
Li, Y. *see* Stern, J.E.
Li, Y.-F. & Patel, K.P. Paraventricular nucleus of the hypothalamus and elevated sympathetic activity in heart failure: the altered inhibitory mechanisms, 17
Lindström, P., Källskog, Ö., Wadström, J. & Persson, A.E.G. Blood flow distribution during elevated intraperitoneal presure in the rat, 149
Llinás, M.T. *see* López, R.
Lönnroth, P. *see* Dodt, C.
López, R., Roig, F., Llinás, M.T. & Salazar, F.J. Role of cyclooxygenase-2 in the control of renal haemodynamics and excretory function, 429

McAllen, R.M. & Trevaks, D. Are pre-ganglionic neurones recruited in a set order?, 219
Macefield, V.G. & Elam, M. Why do human post-ganglionic neurones primarily only fire once during a sympathetic burst?, 247
Macefield, V.G. *see* Elam, M.
McLachlan, E.M. Transmission of signals through sympathetic ganglia – modulation, integration or simply distribution?, 227
Magnusson, S.P., Hansen, P., Aagaard, P., Brønd, J., Dyhre-Poulsen, P., Bojsen-Moller, J. & Kjaer, M. Differential strain patterns of the human gastrocnemius aponeurosis and free tendon, *in vivo*, 185
Maillet, A. *see* Mauran, P.
Malmgren, C. *see* Olsson, K.
Mancia, G. *see* Grassi, G.
Mano, T. & Iwase, S. Sympathetic nerve activity in hypotension and orthostatic intolerance, 359
Mark, A.L., Rahmouni, K., Correia, M. & Haynes, W.G. A leptin-sympathetic-leptin feedback loop: potential implications for regulation of arterial pressure and body fat, 345
Mary, D.A.S.G. & Stoker, J.B. The activity of single vasoconstrictor nerve units in hypertension, 367
Mauran, P., Sediame, S., Pavy-Le Traon, A., Maillet, A., Carayon, A., Barthelemy, C., Weerts, G., Guell, A. & Adnot, S. Renal and hormonal responses to isotonic saline infusion after 3 days' head-down tilt vs. supine and seated positions, 167
Mckenzie, D. *see* Elam, M.
Morel, D.R. *see* Landis, B.N.
Morris, J.L. *see* Gibbins, I.L.
Mueller, P.J., Cunningham, J.T., Patel, K.P. & Hasser, E.M. Proposed role of the paraventricular nucleus in cardiovascular deconditioning, 27
Musch, T.I. *see* Weiss, M.L.

Narici, M.V. *see* Ferri, A.
Narkiewicz, K. & Somers, V.K. Sympathetic nerve activity in obstructive sleep apnoea, 385
Narkiewicz, K. *see* Kara, T.
Nilius, B. & Droogmans, G. Amazing chloride channels: an overview, 119
Nilsson, H. *see* Tarasova, O.
Nordin, M. *see* Gunnar Wallin, B.

Olsson, K., Malmgren, C., Olsson, K.K., Hansson, K. & Häggström, J. Vasopressin increases milk flow and milk fat concentration in the goat, 177
Olsson, K.K. *see* Olsson, K.
Osnes, J.-B. *see* Sjaastad, I.

Patel, K.P. *see* Li, Y.-F.
Patel, K.P. *see* Mueller, P.J.
Patel, K.P. *see* Weiss, M.L.
Pavy-Le Traon, A. *see* Mauran, P.
Persson, A.E.G. *see* Lindström, P.
Polson, J.W. *see* Dampney, R.A.L.
Pösö, A.R. *see* Sepponen, K.
Potts, P.D. *see* Dampney, R.A.L.
Pousson, M. *see* Ferri, A.
Puolanne, E. *see* Sepponen, K.

Qvigstad, E. *see* Sjaastad, I.

Rahmouni, K. *see* Mark, A.L.
Ray, C.A. & Carter, J.R. Vestibular activation of sympathetic nerve activity, 313
Rimensberger, P.C. *see* Landis, B.N.
Risteli, J. *see* Ahtikoski, A.M.
Roig, F. *see* López, R.
Rundqvist, B. *see* Elam, M.
Ruusunen, M. *see* Sepponen, K.

Sadé, J. *see* Fink, N.
Sadowski, J. *see* Kompanowska-Jezierska, E.
Salar, F.J. Forword, 415
Salazar, F.J. *see* López, R.
Sandnes, D. *see* Sjaastad, I.
Scaglioni, G. *see* Ferri, A.
Schiander, I. *see* Sjaastad, I.
Sediame, S. *see* Mauran, P.
Sejersted, O.M. *see* Sjaastad, I.

© 2003 Scandinavian Physiological Society

Sepponen, K., Koho, N., Puolanne, E., Ruusunen, M. & Pösö, A.R. Distribution of monocarboxylate transporter isoforms MCT1, MCT2 and MCT4 in porcine muscles, 79
Seravalle, G. *see* Grassi, G.
Sjaastad, I., Schiander, I., Sjetnan, A., Qvigstad, E., Bøkenes, J., Sandnes, D., Osnes, J.-B., Sejersted, O.M. & Skomedal, T. Increased contribution of α_1- vs. β-adrenoceptor-mediated inotropic response in rats with congestive heart failure, 449
Sjetnan, A. *see* Sjaastad, I.
Sjöblom-Widfeldt, N. *see* Tarasova, O.
Skomedal, T. *see* Sjaastad, I.
Slade, J.M., Bickel, C.S., Warren, G.L. & Dudley, G.A. Variable frequency trains enhance torque independent of stimulation amplitude, 87
Somers, V.K. *see* Narkiewicz, K.
Song, X., Li, G., Vaage, J. & Valen, G. Effects of sex, gonadectomy, and oestrogen substitution on ischaemic preconditioning and ischaemia–reperfusion injury in mice, 459
Stern, J.E., Li, Y. & Zhang, W. Nitric oxide: a local signalling molecule controlling the activity of pre-autonomic neurones in the paraventricular nucleus of the hypothalamus, 37
Stocker, S.D. *see* Toney, G.M.
Stoker, J.B. *see* Mary, D.A.S.G.
Sundstedt, M., Jonason, T., Ahrén, T., Damm, S., Wesslén, L. & Henriksen, E. Left ventricular volume changes during supine exercise in young endurance athletes, 467
Sverrisdottir, Y.B. *see* Elam, M.

Tagawa, T. *see* Dampney, R.A.L.
Takala, T.E.S. *see* Ahtikoski, A.M.
Tarasova, O., Sjöblom-Widfeldt, N. & Nilsson, H. Transmitter characteristics of cutaneous, renal and skeletal muscle small arteries in the rat, 157
Toney, G.M., Chen, Q.H., Cato, M.J. & Stocker, S.D. Central osmotic regulation of sympathetic nerve activity, 43
Toney, G.M. Foreword, 5
Trevaks, D. *see* McAllen, R.M.

Vaage, J. *see* Song, X.
Vaddadi, G. *see* Esler, M.
Valen, G. *see* Song, X.
Van Hoecke, J. *see* Ferri, A.
Virtanen, P. *see* Ahtikoski, A.M.

Wadström, J. *see* Lindström, P.
Walkowska, A. *see* Kompanowska-Jezierska, E.
Warren, G.L. *see* Slade, J.M.
Weerts, G. *see* Mauran, P.
Weiss, M.L., Kenney, M.J., Musch, T.I. & Patel, K.P. Modifications to central neural circuitry during heart failure, 57
Weiss, M.L. *see* Kenney, M.J.
Wellhöner, J.P. *see* Dodt, C.
Wesslén, L. *see* Sundstedt, M.
Wilson, T.E. *see* Crandall, C.G.
Wright, G.L. *see* Fultz, M.E.

Yang, T. Regulation of cyclooxygenase-2 in renal medulla, 417

Zhang, W. *see* Stern, J.E.

© 2003 Scandinavian Physiological Society

Subject index

achilles tendon, 185
adenosine triphosphate, 157
adipose tissue, 345, 351
adrenaline, 345
adrenoceptors, 449
ageing, 69
angiotensin II, 423, 429
angiotensin receptor, 209
animals, 256
apnoea, 378
arousal, 291
arterial baroreceptor reflexes, 391
arterial baroreceptors, 399
arterial baroreflex, 27
arterial pressure, 345
atelectasis, 493
Athletes, 467
atrial fibrillation, 399
autoactivity, 209
autonomic, 37, 237
autonomic failure, 275
autonomic nervous system, 329, 385

baroreceptor reflex, 299
baroreflex, 285, 359
beta adrenergic receptors, 345
blood flow, 149
blood pressure, 43, 177, 219, 378, 385
blood pressure control, 321, 359
blood volume, 43
body fluids, 167
brain renin-angiotension system, 57
burst, 219

Ca^{2+} activated Cl^- channels, 119
cardiac, 219
cardiac arrhythmias, 399
cardiac output, 149
cardiopulmonary reflex, 27
cardiopulmonary reflexes, 391
cardiovascular disease, 405
cardiovascular physiology, 43
catch-like property, 87
caudal pressor area, 209
caudal ventrolateral medulla, 209
central autonomic control, 57
central blood volume, 167
central nervous system, 256
cholinergic, 227
citrate synthase, 79
Cl^- channel pathophysiology, 119
ClC family, 119
clotrimazole, 93
concentric, 483
congestive heart failure, 43
contractile, 197
contractile function, 449
convergence, 227
cyclooxygenase-2, 417
cyclooxygenases, 423, 429
cystic firbrosis transmembrane conductance regulator, 119
cytoskeleton, 197

dietary sodium intake, 285
diffusion, 107, 493
divergence, 227
drug delivery, 437

eccentric, 483
electrical stimulation, 87
exercise, 391, 467
extracellular matrix, 473
electrochemotherapy, 437
electrogenetransfer, 437
electroporation, 437

fascicle length, 483
fluid-regulating hormones, 167
food intake, 337
force enhancement, 483
frequency-domain analyses, 7

GABA, 17
GABA receptor, 209
ganglion, 237
genetherapy, 437
glomerular filtration rate, 149
glutamate receptor, 209
glycerol, 107
gravity, 359

haemodynamics, 429
heart failure, 17, 275, 378, 391, 399, 449
heart rate, 177, 378, 385
hindlimb suspension, 27
hormones, 459
human, 256, 351, 483
hydromineral balance, 167
hyperinsulinaemia, 337
hyperosmolality, 417
hypertension, 43, 275, 367, 378, 399, 423
hyperthermia, 321
hypertonic saline, 93
hypertrophy, 69
hypoglycaemia, 337
hypotensive episode, 359

indomethacin, 93
inotropy, 449
intermolecular forces, 107
intra-abdominal pressure, 149
intrarenal circulation, 93
ischaemia, 459
isoproterenol, 345

kidney, 57, 429
lactate, 79
lactate dehydrogenase, 79

© 2003 Scandinavian Physiological Society

lactate transporters, 79
lamina terminalis, 43
laser Doppler flowmetry, 507
left ventricular dynamics, 467
lipolysis, 351
lipopolysaccharide, 417
lusitropy, 449

mathematical model, 493
matrix metalloproteinase-2, 473
metabolic sytem, 337
microgravity, 167, 359
microneurography, 219, 256, 291, 337, 359, 391, 399
microsphere technique, 149
milk fat concentration, 177
milk flow, 177
mitogen-activated protein kinases, 417
modulus, 185
motor unit, 237
motor units, 247
muscle fatigue, 87
muscle power, 69
muscle strength, 69
muscle sympathetic, 291
muscle sympathetic nerve activity, 359
muscle vasoconstrictor, 405
muscle vasoconstrictor neurones, 247
muscle–tendon length, 483
myocardial infarction, 57
myocardium, 449
myosin, 197

nasal mucosa, 507
nasal nitric oxide, 507
nerve activity, 291
nitric oxide, 17, 329
nociceptors, 237
noradrenaline, 157, 275, 391, 429
noradrenaline kinetics, 299
nose blowing, 507

obesity, 275, 351
3-OH-acyl-CoA dehydrogenase, 79
organization, 256
orthostatic intolerance, 27, 313, 321
osmoreceptor, 43
osmotic pressure, 43

paraventricular nucleus, 37, 43
patch-clamp, 37
periphery, 256
pig, 79
pneumoperitoneum, 149
postganglionic, 227
preconditioning, 459
preganglionic, 227, 237
prostaglandin, 423
prostaglandins, 429
PVN, 17

quadriceps femoris, 87

radionuclide ventriculography, 467
rat, 149
reflection coefficient, 107
reflex, 367
renal function, 167
renal medulla, 417
renal sympathetic nerve activity, 285
renin, 423, 429
renin–angiotensin system, 285
reperfusion, 459
resistance training, 69
rostral ventrolateral medulla, 209

saline, 507
sensory stimulation, 291
sex, 459
single unit microneurography, 405
skeletal muscle, 79
skin blood flow, 321
sleep apnoea, 385, 391
small arteries, 157
smooth muscle, 197
sodium excretion, 93
sodium intake, 429
somato-sympathetic reflex, 507
stiffness, 185
strain, 185
stress, 185
stretch, 473
sucrose, 107
suprathreshold, 227
surgical sympathectomy, 329
sympathetic, 37, 219, 237, 351
sympathetic activity, 17, 367
sympathetic nerve activity, 7, 27
sympathetic nerve discharge, 7
sympathetic nerve traffic, 399
sympathetic nervous system, 57, 247, 299, 313, 337, 385, 391
sympathetic neurotransmission, 157
sympathetic systems, 256
sympathoexcitation, 405
synapse, 227
syncope, 359

temperature, 507
tendon force, 483
tissue inhibitor of metalloproteinase-2, 473

ultrasound Doppler examination, 177
urine production, 149

van't Hoff, 107
vascular endothelium, 329
vasoconstrictor, 237
vasodilator, 237
vasopressin, 177
ventilating tube, 493
vestibulosympathetic reflex, 313
volume-activated Cl^- channels, 119

© 2003 Scandinavian Physiological Society